

21 NCAC 16Q .0305 ANNUAL RENEWAL OF MODERATE PARENTERAL AND ENTERAL CONSCIOUS SEDATION PERMIT REQUIRED

(a) Moderate conscious sedation permits and itinerant moderate conscious sedation permits shall be renewed by the Board annually at the same time as dental licenses. For each permit to be renewed, the permit holder shall pay a one-hundred dollar (\$100.00) fee and complete the renewal application requirements in this Rule. If the completed permit renewal application and renewal fee are not received before midnight on January 31 of each year, a fifty dollar (\$50.00) late fee shall be charged. The renewal application shall be submitted electronically through the Board's website, www.ncdentalboard.org, and shall include the information required by Rule .0102(e) of this Subchapter and a report of compliance with the conditions for renewal in Paragraph (d) of this Rule.

(b) Any permit holder who fails to renew a moderate conscious sedation permit or itinerant moderate conscious sedation permit before March 31 of each year shall complete a reinstatement application, pay the renewal fee and late fee set out in Paragraph (a) of this Rule, and comply with all conditions for renewal set out in this Rule. Dentists whose moderate conscious sedation permits or itinerant moderate conscious sedation permits have been lapsed for more than 12 calendar months shall pass an inspection and an evaluation as part of the reinstatement process in accordance with Rules .0104 and .0306 of this Subchapter. All applicants for reinstatement of a permit shall be in good standing. All applications for reinstatement of a permit shall be submitted on forms furnished by the Board at www.ncdentalboard.org and shall include the information required by Rule .0102(f) of this Subchapter and a report of compliance with the conditions for renewal set out in Paragraph (d) of this Rule.

(c) A dentist who administers moderate conscious sedation in violation of this Rule shall be subject to the penalties prescribed by Rule .0701 of this Subchapter.

(d) As a condition for renewal of the moderate conscious sedation permit and itinerant moderate conscious sedation permit, the permit holder shall meet the clinical and equipment requirements set out in Rules .0103 and .0302 of this Subchapter, the itinerant moderate conscious sedation permit holder shall also meet the clinical and equipment requirements set out in Rule .0304 of this Section, and the permit holder shall document the following:

- (1) six hours of continuing education each year in one or more of the following areas, which shall be counted toward fulfillment of the continuing education required each calendar year for license renewal:
 - (A) sedation;
 - (B) medical emergencies;
 - (C) monitoring IV sedation and the use of monitoring equipment;
 - (D) pharmacology of drugs and agents used in IV sedation;
 - (E) physical evaluation, risk assessment, or behavioral management; or
 - (F) airway management;
- (2) unexpired ACLS certification, which shall not count towards the six hours of continuing education required in Subparagraph (d)(1) of this Rule;
- (3) that the permit holder and all auxiliaries involved in sedation procedures have practiced responding to dental emergencies as a team at least once every six months in the preceding year;
- (4) that the permit holder and all auxiliaries involved in sedation procedures have read the practice's emergency manual in the preceding year; and
- (5) that all auxiliaries involved in sedation procedures have completed BLS certification and three hours of continuing education annually in any of the areas set forth in Subparagraph (d)(1) of this Rule.

(e) Absent a Board order stating otherwise, all permit holders applying for renewal of a moderate conscious sedation permit or itinerant moderate conscious sedation permit shall be in good standing and their office shall be subject to inspection by the Board.

History Note: Authority G.S. 90-28; 90-30.1; 90-31; 90-39; 90-48;

Eff. June 1, 2017;

Amended Eff. August 1, 2024; August 1, 2021; August 1, 2018.